



Certificate of Conformity

This is to certify compliance of Protectant™ Termite Barrier



Conditions and Limitations

- This certificate is limited to the details within this certificate, including the compliance elements, product description and purpose or use. This certification is to be read, considered used as a whole document and reproduced in its entirety.
- A durable notice installed in accordance with BCA Volume One 2013: B1.4 (i) (ii) and BCA Volume Two 2013; Part 3.1.3.2(b) must be affixed in a prominent location to the building such as the meter box or the like.
- The *Protectant™* Termite barrier PVC Flanges are manufactured from Un-plasticized PVC with a D shore hardness of 80 as required by AS 3660.1: 2000
- The *Protectant™* Termite barrier PVC Flanges are manufactured from 316 grade stainless steel as required by AS 3660.1: 2000.
- Compliance with AS 3660.1:2000 is valid until 30 April 2017 when the transitional period expires.
- Inspections must be undertaken annually in accordance with the *Protectant™* Termite Barrier the White Ant Co Pty Ltd Quality Manual & Safe Work Procedures Version 3/2010 to determine that no bridging or breaching of the termite management system has occurred.

Product Purpose, Use and Application

1. Subterranean termite barrier system incorporating either PVC or 316 grade stainless steel flanges.
2. The system must only be installed by accredited installers duly trained and accredited by The White Ant Co Pty Ltd
3. As the *Protectant™* Termite Barrier System relies on the concrete slab forming the major part of the termite barrier. Any such slab must be constructed in accordance with AS 2870:2011 (up to amendment 4, 05/2003) or AS 3660.1:2000 (up to amendment 2, 10/2004)
4. All installations must be performed in accordance with *Protectant™* Termite Barrier the White Ant Co Pty Ltd Quality Manual & Safe Work Procedures Version 3/2010.

Product Description

The *Protectant™* Termite Barrier System is a geotextile fabric impregnated with Bifenthrin Termiticide and/or Stainless Steel Barrier sealed with an adhesive. The System comprises of:

- *Protectant™* Termite Barrier
- *TermiGreen™* Termite Barrier
- *Termi-Tite™* Termite Barrier
- ADSOL (Adhesive)
- ADULETH Termiticide (Adhesive)
- PVC and Stainless Steel (316) Flanges for penetrations and Stainless Steel (316) for perimeter barriers

Certificate Holder



THE WHITE ANT CO
The White Ant Co
 ABN: 51 100 706 009
 Unit 2 57-61 Burchill Street
 Loganholme, QLD 4129
 Tel: 07 3806 1402

enquiries@thewhiteantco.com.au

Certification Body



CertMark International Pty Ltd

T/A CertMark Australia

ABN: 80 111 217 568

JAS-ANZ Accreditation No.

Z4450210AK

PO Box 7144, Sippy Downs Qld 4556

+61 (02) 6100 4300

www.CertMark.org

Complies with the National Construction Code – Building Code of Australia 2016

- | Volume One | Volume Two |
|--|--|
| <ol style="list-style-type: none"> a. Clause A0.2 (c) being a combination of compliance with the Deemed-to-Satisfy Provisions and formulating a Performance Solution which complies with the Performance Requirements b. BP1.1 (a) & (b) (xv) (limited to termite's actions). Including QLD BP1.2 for termite management system c. BP1.2 for termite management system <ol style="list-style-type: none"> i. B1.4 (i) Termite Risk Management (including QLD state variations). | <ol style="list-style-type: none"> a. Clause 1.0.2(c) being a combination of compliance with the Deemed-to-Satisfy Provisions and formulating a Performance Solution which complies with the Performance Requirements b. P2.1.1 (a), (b) (xv) and C (limited to termite's actions). Including QLD State Variations. c. P2.1.3, including QLD state variations, for termite management system <ol style="list-style-type: none"> i. 3.1.3.3 Termite management systems (including QLD state variations). |

John Thorpe	Livi Krevatin	01/05/2016	01/05/2019	CMA-CM40036-I02-R00
Date of Issue	Date of Expiry	Certificate Number		

CertMark International Unrestricted Building Certifier

ABCB Disclaimer

- This Certificate of Conformity is issued by an accredited certification body under arrangement with JAS-ANZ. The ABCB does not in any way warrant, guarantee or represent that the Product the subject of this Certificate of Conformity conforms to the BCA, nor accepts any liability arising out of the use of the Product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.

- It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the ABCB website, www.abcb.gov.au.